

Bibliographie

- Baniszewski J., Cuda J. P., Gezan S. A., Sharma S., Weeks E. N.I., 2016. Stem fragment regrowth of *Hydrilla verticillata* following desiccation. *Journal of Aquatic Plant Management*, 54, 53-60
- Basiouny, F. M., W. T. Haller and L. A. Garrard. 1978. Survival of hydrilla (*Hydrilla verticillata*) plants and propagules after removal from the aquatic habitat. *Weed Sci.* 26: 502-504
- Bowes G., Van T. K., Garrard L. A., Haller W. T. 1977. Adaptation To Low Light Levels By Hydrilla. *Journal of Aquatic Plant Management*, 15: 32-35
- Bowes G., Holaday S., Haller W. T. 1979. Seasonal variation in the biomass, tuber density and photosynthetic metabolism of Hydrilla in three Florida lakes. *J. Aquat. Plant Manage.* 17: 61-65
- Breinlinger S. *et al.*, 2021. Hunting the eagle killer: A cyanobacterial neurotoxin causes vacuolar myelinopathy. *Science* **371**, eaax9050, 8 pp.
- Carter, V. & N. Rybicki, 1986. Resurgence of submersed aquatic macrophytes in the tidal Potomac River, Maryland, Virginia, and the District of Columbia. *Estuaries* 9: 386–375.
- CEN (2016). Stratégie de lutte contre les espèces exotiques envahissantes dans les espaces naturels de Nouvelle-Calédonie. Rapport.
- Coley C. 1997. Hydrilla tubers recovered from waterfowl Lake Mattamuskeet, North Carolina. *Aquat. Plant News* 54:2.
- Cook, C.D.K. & Lüönd, R. (1982) A revision of the genus *Hydrilla* (Hydrocharitaceae). *Aquatic Botany*, 13, 485–504.
- Delnatte C., Tepie Potiron C. & Rateau F. 2021. — Détection précoce et lutte rapide contre la plante aquatique exotique *Hydrilla verticillata* (L.f.) Royle en Martinique. *Naturae* 2021 (5): 1-9. <https://doi.org/10.5852/naturae2021a5>
- Flouhr C. & Mary N., 2010. Etude du caractère invasif de quelques espèces animales et végétales introduites dans les milieux dulçaquicoles en Nouvelle Calédonie. Rapport préliminaire A. PARTIE 2 : *HYDRILLA VERTICILLATA*. Province Nord - Direction du développement économique et de l'environnement - service environnement. Province Sud - Direction de l'environnement - Service des milieux terrestres. 63 pp.
- Gillett-Kaufman J. L., Lietze V.U., Weeks E. N. I. (Eds). 2014. [Hydrilla integrated management](#). UF IFAS. Hydrilla IPM Project. Grant 2010-02825. 144 pp.
- Glomski, L.M. & Netherland, M.D. (2012). Does hydrilla grow an inch per day? Measuring short-term changes in shoot length to describe invasive potential. *Journal of Aquatic Plant Management*, 50, 54-57.
- Groupe espèces envahissantes. 2011. Plantes envahissantes pour les milieux naturels de Nouvelle-Calédonie. Agence pour la prévention et l'indemnisation des calamités agricoles ou naturelles, APICAN Editeur, Nouméa. 224 pp.

- Gu, B, 2006. Environmental conditions and phosphorus removal in Florida lakes and wetlands inhabited by *Hydrilla verticillata* (Royle): implications for invasive species management. *Biological Invasions*, 8: 1569-1578.
- Haller, W. T. & D. L. Sutton, 1975. Community structure and competition between *Hydrilla* and *Vallisneria*. *Journal of Aquatic Plant Management* 13: 48–50.
- Hequet V., Le Corre M., Rigault F., Blanfort V. 2009. Les espèces exotiques envahissantes de Nouvelle-Calédonie. Rapport IRD AMAP, Province Sud, Province Nord. 87 pp
- Hofstra D. E. & Clayton J. 2014. Native flora and fauna response to removal of the weed *Hydrilla verticillata* (L.f.) Royle in Lake Tutira. *Hydrobiologia* 737: 297–308
- Hofstra, D.E., Clayton, J., Green, J.D., and Auger, M., 2000. RAPD profiling and isozyme analysis of New Zealand *Hydrilla verticillata*. *Aquatic Botany*, 66: 153-166
- Langeland K. A. 1996. — *Hydrilla verticillata* (L.f.) Royle (Hydrocharitaceae), « The Perfect Aquatic Weed ». *Castanea* 61: 293-304
- Langeland K. A., Sutton D. L., 1978. Regrowth of *Hydrilla* from axillary buds. . *Aquat. Plant Manage.* 18: 27-29
- Lovas-Kiss Á. *et al.*, 2018. Endozoochory of aquatic ferns and angiosperms by mallards in Central Europe. *J. Ecol.* 106, 1714–1723.
- Maddi F. A. & Brizard J.-P. 2010. — *Hydrilla verticillata* (L.f.) Royle, une nouvelle espèce envahissante en Martinique ? Situation actuelle et prospective. *Bulletin de la Société Naturelle de l'Ouest de la France* nouvelle série, 32 (1): 16-31.
- Maddi F. A. 2014. Contribution à l'inventaire de la flore dulçaquicole de la Martinique : les "espèces exotiques envahissantes". Bilan des prospections. Société d'histoire naturelle L'Herminier (Nantes, France) DEAL (Martinique) : 28 p.
- Maddi F. A., Meurgey F., Delacruz C. 2008. *Hydrilla verticillata* (L.f.) Royle in Guadeloupe, French West Indies. *J. Aquat. Plant Manage.* 46: 196-198
- Madeira PT, Coetzee JA, Center TD, White EE, Tipping PW. 2007. The origin of *Hydrilla verticillata* recently discovered at a South African dam. *Aquat. Bot.* 87:176–180.
- Madeira, P., T. Van, D. Steward and R. Schnell. 1997. Random amplified polymorphic DNA analysis of the phenetic relationships among world-wide accessions of *Hydrilla verticillata*. *Aquatic Botany* 59: 217-236.
- Madsen J. D., Smith D. H., 1999. Vegetative spread of dioecious *Hydrilla* colonies in experimental ponds. *J. Aquat. Plant Manage.* 37: 25-29
- True-Meadows S., Haug E. J., Richardson R. J. 2016. Monoecious hydrilla—A review of the literature. *J. Aquat. Plant Manage.* 54: 1–11
- Morse, L. E., J. M. Randall, et al. (2004). An Invasive Species Assessment Protocol: Evaluating Non-Native Plants for Their Impact on Biodiversity. Version 1. NatureServe. Arlington, Virginia.
- OFB. 2021. Martinique. Espèce exotiques envahissantes. Les nouvelles obligations des particuliers, associations, collectivités. Rapport. 30 pp.

- Owens, C. S., J. D. Madsen, R. M. Smart & R. M. Stewart, 2001. Dispersal of native and nonnative aquatic plant species in the San Marcos River, Texas. *Journal of Aquatic Plant Management* 39: 75–79.
- Patrick A.E.S. & Singarayer S. 2021. Factors affecting the global distribution of *Hydrilla verticillata*(L. fil.) Royle: A review. *Weed Research*. 2021;61:253–271.
- Ribaudo C., Dutartre A. & Bertrin V. 2022; 1970-2020 : 50 ans d'hydrophytes invasives dans les grands lacs du littoral aquitain, où en sommes-nous ? », *Dynamiques environnementales* [En ligne], DOI : <https://doi.org/10.4000/dynenviron.3478>
- Sarat E., Mazaubert E., Dutartre A., Poulet N., Soubeyran Y., 2015. Les espèces exotiques envahissantes. Connaissances pratiques et expériences de gestion. Volume 1 - Connaissances pratiques. Onema. Collection *Comprendre pour agir*. 252 pages.
- Schwark M. *et al.* 2023. More than just an eagle killer: The freshwater cyanobacterium *Aetokthonos hydrillicola* produces highly toxic dolastatin derivatives. *PNAS*, Vol. 120 No. 40, 1-9
- Sculthorpe C. D., 1967. The biology of aquatic vascular plants. E. Arnold Publ. Ltd. 610 p.
- Shields EC, Moore KA, Parrish DB. 2012. Influences of salinity and light availability on abundance and distribution of tidal freshwater and oligohaline submersed aquatic vegetation. *Estuaries Coasts* 35:515–526
- Silveira, M. J., S. M. Thomaz, R. P. Mormul & F. P. Camacho, 2009. Effects of desiccation and sediment type on early regeneration of plant fragments of three species of aquatic macrophytes. *International Review of Hydrobiology* 94: 169–178.
- Sousa, W. T. Z. , 2011. *Hydrilla verticillata* (Hydrocharitaceae), a recent invader threatening Brazil's freshwater environments: a review of the extent of the problem. *Hydrobiologia* 669:1–20
- Sousa, W. T. Z., Thomaz, S. M. , Murphy, K. J., Silveira, M. J. & Mormul, R. P. 2009. Environmental predictors of the occurrence of exotic *Hydrilla verticillata* (L.f.) Royle and native *Egeria najas* Planch, in a sub-tropical river floodplain: the Upper River Parana ´, Brazil. *Hydrobiologia* 632: 65–78.
- Spencer D. F., Anderson L. W., Ames M. D., Ryan F. J., 1987. Variation in *Hydrilla verticillata* (L.f.) Royle propagule weight. *J. Aquatic Plant Manage.* 25: 11-14
- Steward, K. K. and T. K. Van. 1987. Comparative studies of monoecious and dioecious hydrilla (*Hydrilla verticillata*) Biotypes. *Weed Sci.* 35: 204-210
- Tippery, N.P., 2023. Subspecies classification of *Hydrilla verticillata* (Hydrocharitaceae) J. Bot. Res. Inst. Texas 17(2): 401–412
- Tippery, N.P., G.J. Bugbee, & S.E. Stebbins. 2020. Evidence for a genetically distinct strain of introduced *Hydrilla verticillata* (Hydrocharitaceae) in North America. *J. Aquatic Plant Manage.* 58:1–6.
- True-Meadows S, Haug E. J., Richardson R. J. 2016. Monoecious hydrilla—a review of the literature. *J Aquat Plant Manag* 54:1–11

- Van den Neucker T, Scheers K. 2022. Mislabelling may explain why some prohibited invasive aquatic plants are still being sold in Belgium. *Knowl. Manag. Aquat. Ecosyst.*, 423, 8.
- Van der Pijl, 1969. Principles of dispersal in higher plants. Springer Verlag Ed. 154 pp.
- Van, T. K., W. T., Haller and G. Bowes. 1976. Comparison of the photosynthetic characteristics of three submersed aquatic plants. *Plant Physiol.* 58:761-768.
- Van, T. K., Steward, K. K., 1990. Longevity of Monoecious Hydrilla Propagules. . *J. Aquatic Plant Manage.* 28: 74-76
- Wilde SB, Murphy TM, Hope CP, Habrun SK, Kempton J, Birrenkott A, Wiley F, Bowerman WW, Lewitus AJ. 2005. Avian vacuolar myelinopathy linked to exotic aquatic plants and a novel cyanobacterial species. *Environ. Toxicol.* 20:348–353.
- Yeo, R.R., Falk, R.H. & Thurston, J.R. (1984) The morphology of Hydrilla (*Hydrilla verticillata* (L.f.) Royle). *Journal of Aquatic Plant Management*, 22, 1–17.
-

N. B. : tous les articles du "***Journal of Aquatic Plant Management***" sont accessibles et téléchargeables [en ligne](#).